


PROMOTIE

APKT 1003 PDSR

AP003600



	CORP	Ø	Z	PLACUTA	NR. PLACUTE SET	PRET PLACUTA	PRET SET
	AP10-016-02	16	2	APKT 1004 PDSR	30	5,49€	164,7€
	AP10-020-03	20	3		30		164,7€
	AP10-025-04	25	4		40		219,6€
	AP10-032-05	32	5		40		219,6€
	AP10-040-06	40	6		40		219,6€
	AP10-050-07	50	7		40		219,6€

CALITATI DISPONIBILE



REGIMURI DE TAIERE

MATERIAL	DUREZA (HB)	Vc (m/min)		
		KP1500	KM2000	KK2500
Acero no aleado	125-220	150-230		
Acero de baja aleación	220-280	140-220		
Acero de alta aleación	280-380	130-180		
Ac. Inox. Ferrítico/martensítico	200-330		100-120	
Ac. Inox. Austenítico	200-330		80-110	
Ac. Inox. Austenítico-Ferrítico (Duplex)	230-260		70-100	
Fundición maleable	130-230			150-280
Fundición gris	180-245			130-230
Fundición nodular	160-250			80-190

PROMOTIE

APKT 1604 PDSR

AP004300



	CORP	Ø	Z	PLACUTA	NR. PLACUTE SET	PRET PLACUTA	PRET SET
	AP16-025-02	25	2	APKT 1604 PDSR	30	5,95€	178,5€
	AP16-032-03	32	3		40		238,0€
	AP16-040-04	40	4		40		238,0€
	AP16-050-05	50	5		40		238,0€
	AP16-063-06	63	6		40		238,0€
	AP16-080-07	80	7		40		238,0€
	AP16-100-08	100	8		50		297,5€



REGIMURI DE TAIERE

MATERIAL	DUREZA (HB)	Vc (m/min)		
		KP1500	KM2000	KK2500
Acero no aleado	125-220	150-230		
Acero de baja aleación	220-280	140-220		
Acero de alta aleación	280-380	130-180		
Ac. Inox. Ferrítico/martensítico	200-330		100-120	
Ac. Inox. Austenítico	200-330		80-110	
Ac. Inox. Austenítico-Ferrítico (Duplex)	230-260		70-100	
Fundición maleable	130-230			150-280
Fundición gris	180-245			130-230
Fundición nodular	160-250			80-190